ELSEVIER

Discrete Mathematics 186 (1998) 299–300

DISCRETE MATHEMATICS

Author index to volume 186 (1998)

Balakrishnan, R. and P. Paulraja, Hamilton cycles in tensor product of graphs (1–3) 1– 13
Balakrishnan, R., R. Sampathkumar and V. Yegnanarayanan, Extremal graphs in some coloring problems (1–3) 15– 24
Bevis, J. and M. Grady, Toroidal maps of modular quotient groups (1–3) 25– 38
Bhave, N.S., Characterisation of potentially generalised bipartite self-complementary bi-graphic sequences (1–3) 39– 54
Bollobás, B. and T. Szabó, The oriented cycle game (1–3) 55– 67
Borodin, O.V., Triangulated 3-polytopes without faces of low weight (*Note*) (1–3) 281–285
Brandstädt, A., Partitions of graphs into one or two independent sets and cliques (*Corrigendum*) (1–3) 295
Buekenhout, F. and M. Parker, The number of nets of the regular convex polytopes in dimension $\leqslant 4$ (1–3) 69– 94
Chen, C., Matchings and matching extensions in graphs (1–3) 95–103
Chen, Y.-G., A theorem on harmonic sequences (*Note*) (1–3) 287–288
Forbes, F. and B. Ycart, Counting stable sets on Cartesian products of graphs (1–3) 105–116
Gangopadhyay, T., Packing graphs in their complements (1–3) 117–124
Gill, R., The number of elements in a generalized partition semilattice (1–3) 125–134
Grady, M., see J. Bevis (1–3) 25– 38
Greco, G., Capacities of graphs and 2-matchings (1–3) 135–143
Gutin, G., A note on the cardinality of certain classes of unlabeled multipartite tournaments (*Communication*) (1–3) 277–280
Henning, M.A., Packing in trees (1–3) 145–155
Jin, G., The number of complete subgraphs of equi-partite graphs (1–3) 157–165
Klabjan, D. and B. Mohar, The number of matchings of low order in hexagonal systems (1–3) 167–175
Klugerman, M., A. Russell and R. Sundaram, On embedding complete graphs into hypercubes (*Note*) (1–2) 289–293
Kotani, K., k-Regular factors and semi-k-regular factors in graphs (1–3) 177–193
Lamken, E.R., The existence of $KS_3(v; 2, 4)$ (1–3) 195–216
Lindquester, T. and N.C. Wormald, Factorisation of regular graphs into forests of short paths (1–3) 217–226
Lukács, A. and N. Seifter, Lattices in graphs with polynomial growth (1–3) 227–236
Mohar, B., see D. Klabjan (1–3) 167–175
Morgan, I.H., Construction of complete sets of mutually equiorthogonal frequency hypercubes (1–3) 237–251
Neufeld, S. and R. Nowakowski, A game of cops and robbers played on products of graphs (1–3) 253–268
Nowakowski, R., see S. Neufeld (1–3) 253–268
Parker, M., see F. Buekenhout (1–3) 69– 94
Paulraja, P., see R. Balakrishnan (1–3) 1– 13
Russell, A., see M. Klugerman (1–2) 289–293
Sampathkumar, R., see R. Balakrishnan (1–3) 15– 24
Seifter, N., see A. Lukács (1–3) 227–236
Sešeželja, B. and A. Tepavčević, On generation of finite posets by meet-irreducibles (1–3) 269–275

Sundaram, R., see M. Klugerman (1–2) 289–293
Szabó, T., see B. Bollobás (1–3) 55– 67
Tepavčević, A., see B. Šešelja (1–3) 269–275
Wormald, N.C., see T. Lindquester (1–3) 217–226
Ycart, B., see F. Forbes (1–3) 105–116
Yegnanarayanan, V., see R. Balakrishnan (1–3) 15– 24